

www.AlphaCard.com

## TECHNOTE (1/2017) DATE: April, 2017 AUTHOR: ID Builder TECHNICAL SUPPORT PRODUCT/AREA: Design Customize Magnetic Tracks Position

It is possible to create your own customized .cardModel and in it modify the position of the mag tracks on the layout.

Open a new HiCo card:

		2 TRACK	
LOCO	HICO	ZTRACK	

Then go to ID Builder's menu File -> Save as and save it as .cardModel.

	Save Document As	3
Save As:	Document1	<b>v</b>
Tags:		
Where:	Documents	0
Files of type:	MODELS (*.cardModel)	0
		Cancel Save


Browse your computer for the .cardModel file you've just saved and open it.

When you open the .cardModel you'll be able to use the options in the Item and Model tabs to modify the elements.






After clicking the element, you intend to modify, change its **Type** to text:



Click outside of the object and then back in it. Uncheck the Protected option in the Item tab.

ID ITEM_FFFFFFF	
Group .CARDMODEL	
Options	
Print Yes	v
Opacity	


Click outside of the object and then back in it. You can now modify its dimensions and location in the **Position** tab.



## www.AlphaCard.com



After the edition is complete, revert the items to their original Type and Protection settings.



After the customization is complete save the file with .card extension.

To do so, use the **Save As** option under ID Builder's menu File, delete the Model part of the extension (as highlighted in the print screen below) and save the file as .card.

Save Ac-	Document1.cardModel	
Save As.	Document ricardividuer	
Tags:		
Where:	Documents	
Files of type:	DOCUMENTS (*.card)	0

Close the file in ID Builder, browse your computer for the .card you've just saved and double click to open it. You can now use this file to print operations.